














MF015 ORDER GUIDE		
Adjusted by:		Tel:
E-mail:		Date:
Adjusted for:		Filling date:
MF 015	ORIGINAL DESIGN	ALTERNATIVE OPTIONS (Additional charges may apply)
Chassis colour	<input type="checkbox"/> None	<input type="checkbox"/> Frame painting <input type="checkbox"/> Rims Painting
Logo colour	<input type="checkbox"/> Yellow	<input type="checkbox"/> Green <input type="checkbox"/> Pink <input type="checkbox"/> Blue
Chassis finish	<input type="checkbox"/> 12K Finish 	<input type="checkbox"/> 3K Finish 
Cushion colour&Backerst colour 	<input type="checkbox"/> Schwarz 	<input type="checkbox"/> Gelb <input type="checkbox"/> Grau 
Seat Width 	<input type="checkbox"/> 14" (35cm) <input type="checkbox"/> 15" (37,5cm) <input type="checkbox"/> 16" (40cm) <input type="checkbox"/> 17" (42,5cm) <input type="checkbox"/> 18" (45cm)	
Backrest Height 	<input type="checkbox"/> 380m/m	<input type="checkbox"/> 320m/m <input type="checkbox"/> 300m/m
Backrest Type	<input type="checkbox"/> Short Back 	<input type="checkbox"/> Wide Back 
Push Handles 	<input type="checkbox"/> Without	<input type="checkbox"/> Carbon Handles 
Axle Position	<input type="checkbox"/> Single Axis 	<input type="checkbox"/> Double Axle 
Balance Point Adjustments 	<input type="checkbox"/> B: 56mm (Balanced)	<input type="checkbox"/> A: 68mm (Passive) <input type="checkbox"/> C: 80mm (Active)

<p>Castors (Pair)</p> 	<p><input type="checkbox"/> 5"</p>	<p><input type="checkbox"/> 4" <input type="checkbox"/> 4.5"</p>
<p>Brakes</p> 	<p><input type="checkbox"/> Stick Lever Brakes</p> 	<p><input type="checkbox"/> Round Lever Brakes</p> 
<p>Armrest</p>	<p><input type="checkbox"/> Without</p>	<p><input type="checkbox"/> Armrest</p> 
<p>Anti-tip Bars</p>	<p><input type="checkbox"/> Without</p>	<p><input type="checkbox"/> 1x Pair Carbon support</p> 
<p>Net</p>	<p><input type="checkbox"/> Without</p>	<p><input type="checkbox"/> 1x Net</p> 
<p>Hub Axle Wheel Angle</p> 	<p><input type="checkbox"/> Standard = 4°</p>	<p><input type="checkbox"/> 0° <input type="checkbox"/> 2°</p>
<p>Rear wheel+Pushrim</p> 	<p><input type="checkbox"/> WH269-24" Aluminum alloy wheel with steel spokes + aluminum hand ring</p> 	<p><input type="checkbox"/> WH210-25" Carbon tires with grip ring (carbon) 3K finish</p>  <p><input type="checkbox"/> WH272-24" Carbon hand rims with steel spokes</p>  <p><input type="checkbox"/> WH277-24" 3 Spokes carbon wheel + aluminum hand ring</p> 
<p>Backrest Angle</p> 	<p><input type="checkbox"/> Standard = 90°</p>	<p><input type="checkbox"/> 100°</p>

<p>Footrest Height</p> 	<p><input type="checkbox"/> Standard = 80 mm</p>	<p>Measure for desired footrest height</p> <ul style="list-style-type: none"><input type="checkbox"/> 60 mm (Drive wheels-24")<input type="checkbox"/> 70 mm (Drive wheels-24" & 25")<input type="checkbox"/> 90 mm (Drive wheels-24" & 25")<input type="checkbox"/> 100 mm (Drive wheels-25")
--	--	---

*** ORDER DELIVERY VARIES FROM 4-6 WEEKS